

PRC 2000/E – The Benchtop Factory
The PRC 2000's Thermal Management Center powers and controls three SensaTemp handpieces simultaneously for safe, rapid installation and removal of virtually all surface mount and thru-hole components.



Handpieces for PRC 2000

HANDPIECE	DESCRIPTION	PART NUMBER
	SX-80 Sodr-X-Tractor	6010-0106-P1
	PS-80 Soldering Iron	6010-0096-P1
	TT-65 ThermoTweez	7025-0001-P1
	TP-65 ThermoPik	7024-0001-P1
	TJ-70 ThermoJet	7023-0002-P1
	Pulse Heat (PRC 2000 only)	
	LF-15 LapFlo Handpiece	7013-0004-02-P1
	TW-15 ResisTweez Handpiece	7009-0005-P1
	Other (PRC 2000 only)	
	MC-65 MicroChine	7026-0001-P1
	PV-65 Pik Vac Wand	7027-0001-P1

PRC 2000

- PRC 2000 P/N 8007-0132
- PRC 2000-TH (Thru-Hole Version) P/N 8007-0138
- PRC 2000E P/N 8007-0133
- PRC 2000E-TH (Thru-Hole Version) P/N 8007-0139

Features

- Universal SMT component installation and removal
- Self-Contained solder cream dispensing
- Multilayer repair capability
- Continuous automatic calibration
- Automatic tip offset compensation system
- Pik-Vac Component Handling Wand

Power Source Specs

Unit:	PRC 2000	PRC 2000E
Power	115VAC, 60Hz,	230VAC, 50/60Hz,
Requirements:	400 Watts maximum	365 Watts maximum
Dimensions:	175mm H x 350mm W x 230mm D (6.9" H x 13.75" W x 9.25" D)	175mm H x 350mm W x 230mm D (6.9" H x 13.75" W x 9.25" D)
Weight:	Approx. 13 Kg (30 lbs.)	Approx. 13 Kg (30 lbs.)

Handpiece Specs

Tip to ground resistance: 2 ohms or less
 Temperature stability: ± 1.1°C (± 2°F) at idle from set tip temp.
 Tip Temperature Range: 38° to 482°C (100° to 900°F) nominal

Vacuum and Air

Vacuum Rise Time: 200ms average as measured by PACE Process Monitor
 Vacuum: 51 cm Hg. (20 in. Hg.) nominal
 Pressure: .48 Bar (7 p.s.i.) nominal at maximum setting
 Air Flow: 13 SLPM (0.46 SCFM) maximum

CONSUMABLES

ITEM DESCRIPTION	PART NUMBER	ITEM DESCRIPTION	PART NUMBER
SX-80 Heater Assembly	6010-0107	Sponge, Tip & Tool Stands	4021-0008
PS-80 Heater Assembly	6010-0095	FLUX/SODR TRAP	1309-0054-P10/P100
TT-65 Heater Assembly, w/o Sensor	6010-0083	Replacement VisiFilter Element	1309-0027-P10/P25/P50
TT-65 Heater Assembly, with Sensor	6010-0082	Fuse, 2.0 Amp S.B., 120VAC Systems	1159-0247
TP-65 Heater Assembly	6010-0081	Fuse, 1.25 Amp S.B., 230VAC Systems	1159-0217
TJ-70 Heater Assembly	6010-0084		

For standard items sold with systems (handpieces, tips, etc.) see pages 15-16.


Handpieces


SensaTemp Handpieces and Handpiece Accessories

SONA
Technologies
reliable performance, dependable service



PS-80

HANDPIECE	DESCRIPTION	PART NUMBER
	PS-80 Soldering Iron	6010-0096-P1
	PS-80 heater assembly	6010-0095-P1
	Retaining nut	1410-0104-P10
	PS-80 Tip & Tool Stand	6019-0050-P1
	Sponge, Tip & Tool Stand	4021-0008-P3
	PS-80 solder catcher	1312-0008-P1
	PS-80 kit (Consists of PS-80 handpiece and PS-80 Tip & Tool Stand)	6993-0199-P1



Plug-In Heater

- High reliability, replace the heater in seconds, no tools required for changeout

Innovative Handle Design

- Cooler handle, balanced, comfortable feel, lightweight, integrated power cord strain relief, ESD safe

Fully Integrated Heater to Handle Coupler

- Assures structurally stable heater, protects electrical wiring to ensure reliability, stress & pressure of use is transferred directly to handle, improving durability

Securely Anchored Platinum Temperature Sensor

- Reliable, accurate, stable



SX-80

DESCRIPTION	PART NUMBER	HANDPIECE
SX-80 Handpiece	6010-0106-P1	
SX-80 Kit (Includes Handpiece, Tip & Tool Stand and Tip Tool)	6993-0213-P1	
SX-80 Tip and Tool Stand	6019-0060-P1	
FLUX/SODR TRAP (1)	1309-0054-P10 1309-0054-P100	
Handle Assembly (2)	6010-0115-P1	
Door Assembly (3)	1119-0141	
Heater Assembly (4)	6010-0107-P1	
Front Seal (5)	1213-0087	
Rear Seal (6)	1213-0086	
Plunger Shaft (7)	1261-0154	
Plunger Lock (8)	1500-0063	
"C" Clips (3 pieces) (9)	1348-0387-P3	
Spring "Long Side" (10)	1221-0136	
Spring "Short Side" (11)	1221-0137	
Door Lock (12)	1119-0142	
VisiFilter, Fixed	1309-0020	
VisiFilter, Replacement	1309-0028	
Replaceable VisiFilter Elements Package of 10	1309-0027-P10	
Package of 25	1309-0027-P25	
Package of 50	1309-0027-P50	
Tubing, 36" Length	1342-0001-10	
Tubing, 54" Length Black	1342-0015-08	
Hose Clamps	1321-0085-01-P6	
Hose Fitting, Female (Quick Disconnect)	1259-0086	
Hose Fitting, Male (Quick Disconnect)	1259-0087	
Tubing, PVC, 1" Length	1325-0003-07	

PRC 2000 Handpieces

Pulse Heat Handpieces



SMR Handpieces (for PRC 2000 Series Systems only)


DESCRIPTION	PART NUMBER
LF-15 LapFlo Handpiece (Static Dissipative)	7013-0004-02-P1
LF-1 Single Point SMD Soldering Tip (LapFlo)	6000-0008
ThermoPart Coating Removal Tip	6000-0009
LF-2 Multi-point SMD Soldering Tip 5.49mm (0.270")	1121-0298-P1
LF-3 Multi-point SMD Soldering Tip 13.72mm (0.540")	1121-0299-P1
LF-4 Multi-point SMD Soldering Tip 11.18mm (0.440")	1121-0300-P1
Universal Power Cord	7000-0023
CT-15 ConductTweez Handpiece (Static Dissipative)	7020-0001-P1
CT-1 Chip Component Tip	1121-0286-P1
Guide Block Kit	6993-0105-P1
CT-2 14, 16 lead SOIC Tip	1121-0271-P1
CT-3 20 lead SOIC Tip	1121-0270-P1
CT-4 24, 28 lead SOIC Tip	1121-0293-P1
CT-5 SOT Tip	1121-0269-P1
CT-6 Rounded End Auxiliary Heating Tip	1121-0004-P2
Tip Mounting Screw	1405-0182-P5
TW-15 ResistTweez Handpiece (Static Dissipative)	7009-0005-P1
RT-1 18 Pin PLCC ThermoBand Tip	1121-0294-P1
RT-2 20 Pin PLCC ThermoBand Tip	1121-0295-P1
RT-3 28 Pin PLCC ThermoBand Tip	1121-0296-P1
32 Pin PLCC ThermoBand Tip	1121-0348-P1
RT-4 44 Pin PLCC ThermoBand Tip	1121-0297-P1
RT-5 Tapered Flat End Resistance Tip	1121-0301-P1
RT-6 Round End Resistance Tip	1121-0009-P2
RT-7 Flat End Resistance Tips	1121-0006-P2
TS-15 StripTweez Handpiece (Static Dissipative)	7012-0002-P1
Thermal Stripper Tips	1121-0003-P2

MicroChine Miniature Machining Handpiece
(for PRC 2000 Series Systems only)



MicroChine


DESCRIPTION	PART NUMBER
MC-65 MicroChine Handpiece (operates from PRC 2000 and MicroChine 100 Systems only)	7026-0001-P1
Optional Items and Spare Parts	
Deluxe Tool Kit (optional)	6005-0013
Foot Pedal Kit (optional)	6993-0165
Probe Brake Patch Cord (PRC 2000 Systems Only)	1332-0159
Probe Brake Patch Cord (MicroChine 100 Systems Only)	1332-0163
Collet Nut	4005-0012
Collet 1.63mm (0.064" dia.)	4005-0013
Collet 2.39mm (0.094" dia.) - Standard Collet	4005-0014
Collet 3.25mm (0.128" dia.)	4005-0015
Deluxe Tool Kit, Spare Parts	
Mandrel Threaded (1)	1115-0002-P10
Mandrel with Screw Top (2)	1115-0001-P10
Brush, 14.4mm (0.563") Unmounted (3)	1127-0005-P10
Brush, 19.4mm (0.75") Unmounted (4)	1127-0010-P10
Drill, 80mm (0.031") (5)	1112-0031-P10
Drill, 1.2mm (0.047") (5)	1112-0032-P10
Drill, 1.6mm (0.063") (5)	1112-0033-P10
Drill, 2.0mm (0.078") (5)	1112-0034-P10
Drill, 2.4mm (0.094") (5)	1112-0035-P10
Ball Mill, 0.4mm (0.016") (6)	1112-0001-P10
Ball Mill, 0.991mm (0.039") (6)	1112-0010-P10
Ball Mill, 0.8mm (0.031") (6)	1112-0002-P10
Ball Mill, 1.2mm (0.047") (6)	1112-0003-P10
Ball Mill, 1.6mm (0.063") (6)	1112-0004-P10
Ball Mill, 2.4mm (0.094") (6)	1112-0005-P10
Ball Mill, 3.2mm (0.125") (6)	1112-0006-P10
Ball Mill, 4.0mm (0.156") (6)	1112-0007-P10
Ball Mill, 6.4mm (0.25") (6)	1112-0009-P10
Saw, 2.4mm (0.094"), Mounted (7)	1112-0061-P10
Abrasive Wheel 16mm (0.625") Green (8)	1129-0003-P10
Abrasive Wheel 16mm (0.625") Red (8)	1129-0004-P10
Abrasive Wheel 22.4mm (0.875") Red (9)	1129-0001-P10
Abrasive Wheel 22.4mm (0.875") Green (9)	1129-0002-P10
Bullet Abrasive, Red (10)	1129-0007-P10
Bullet Abrasive, Green (10)	1129-0008-P10
Circular Saw, Unmounted (not shown)	1112-0062-P10



Handpieces

SensaTemp Handpieces and Handpiece Accessories

SONA
Technologies
reliable performance, dependable service








































TT-65



































HANDPIECE		DESCRIPTION	PART
	TT-65 ThermoTweez handpiece	7025-0001-P1	
	Heater assembly, with sensor	6010-0082-P1	
	Heater assembly, w/o sensor	6010-0083-P1	
	Cushion grip kit	6993-0184	
	Pads for cushion grip	1317-0029-P2	
	Plastic grips	1119-0123-P1	
	Replacement hinge kit	6993-0156	
	TT-65 Tip & Tool stand	6019-0056-P1	
Sponge, Tip & Tool stand	4021-0008-P3		
	DTP-80 Dual ThermoPik handpiece	7029-0001-P1	
	Heater assembly, with sensor	6010-0082-P1	
	Heater assembly, w/o sensor	6010-0083-P1	
	Cushion grip kit	6993-0184	
	Pads for cushion grip	1317-0029-P2	
	Replacement hinge kit	6993-0156	
	DTP-80 Tip & Tool stand	6019-0057-P1	
Sponge, Tip & Tool stand	4021-0008-P3		
	TP-65 ThermoPik handpiece	7024-0001-P1	
	Heater assembly	6010-0081-P1	
	Handle kit	6993-0140	
	Hardware kit	6993-0189	
	TP-65 Tip and Tool Stand	6019-0055-P1	
Sponge, Tip and Tool Stand	4021-0008-P3		
	TJ-70 ThermoJet handpiece	7023-0002-P1	
	Heater assembly	6010-0084-P1	
	Handle kit	6993-0140	
	Hardware kit	6993-0189	
	TJ-70 Tip & Tool Stand	6019-0055-P1	
Sponge, Tip & Tool Stand	4021-0008-P3		

The following is a representation of the most popular tips.

For a complete listing of all PACE tips call 1-888-535-PACE (7223)

or visit our website at www.paceworldwide.com



TIP	DESCRIPTION	SIZE	PART NUMBER
Tips for PS-80 Soldering Iron			
	1/16" Chisel (high capacity)	1.60mm (0.063")	1121-0414-P5
	1/64" Conical	0.40mm (0.016")	1121-0357-P5
	1/128" Conical	0.20mm (0.008")	1121-0711-P5
	1/32" Conical	0.80mm (0.031")	1121-0336-P5
	1/16" Chisel	1.60mm (0.063")	1121-0335-P5
	1/16" Chisel Long Reach	1.60mm (0.063")	1121-0499-P5
	1/8" Chisel	3.20mm (0.125")	1121-0337-P5
	1/32" Chisel	0.80mm (0.031")	1121-0359-P5
	3/32" Chisel	2.40mm (0.094")	1121-0360-P5
	1/16" Chisel, Extended Reach	1.60mm (0.063")	1121-0533-P5
	1/64" Conical, Extended Reach	0.40mm (0.016")	1121-0528-P5
	1/64" Bent Conical	0.40mm (0.016")	1121-0363-P5
	1/32" Conical, Extended Reach	0.80mm (0.031")	1121-0527-P5
	3/16" Chisel	4.80mm (0.188")	1121-0358-P5
	1/16" Chisel (MicroFine)	1.60mm (0.063")	1121-0349-P5
	1/16" Chisel, Thermo-Drive	1.60mm (0.063")	1121-0510-P5
	1/32" Bent Chisel	0.80mm (0.031")	1121-0361-P5
	1/8" Chisel, Thermo-Drive	3.20mm (0.125")	1121-0518-P5
	3/32" Chisel, Extended Reach	2.40mm (0.094")	1121-0529-P5
	1/64" Bent Conical	0.40mm (0.016")	1121-0535-P5
	1/16" Bent Chisel, Long Reach	1.60mm (0.063")	1121-0500-P5
	1/64" Conical, Thermo-Drive	0.40mm (0.016")	1121-0516-P5
	1/32" Conical, Thermo-Drive	0.80mm (0.031")	1121-0710-P5
	1/64" Bent Conical, Thermo-Drive	0.40mm (0.016")	1121-0526-P5
	3/64" Bent Chisel, Thermo-Drive	1.20mm (0.047")	1121-0525-P5
	Single-Sided Chisel, Fine Pitch	1.50mm (0.06")	1121-0563-P5
	Angled Mini-Wave,	3.30mm (0.13")	1121-0822-P5
	Angled Mini-Wave, Fine Pitch	1.80mm (0.07")	1121-0564-P5
	Angled Mini-Wave	2.40mm (0.09")	1121-0610-P5
	Single-Sided Chisel	3.30mm (0.13")	1121-0406-P5
	Mini-Wave	3.30mm (0.13")	1121-0490-P5
	Flat Blade	6.60mm (0.25")	1121-0402-P1
PS-80 Long Life Tips			
	1/16" Chisel High Capacity	1.60mm (0.063")	1121-0606-P5
	1/32" Conical	0.80mm (0.031")	1121-0639-P5
	1/64" Conical	0.40mm (0.016")	1121-0607-P5
	1/16" Chisel Long Reach	1.60mm (0.063")	1121-0640-P5
	1/8" Chisel	3.20mm (0.125")	1121-0641-P5





TIP	DESCRIPTION	SIZE	PART NUMBER
PS 80-Long Life Tips (continued)			
	1/16" Chisel	1.60mm (0.063")	1121-0642-P5
	1/32" Chisel	0.80mm (0.031")	1121-0643-P5
	3/32" Chisel	2.40mm (0.094")	1121-0644-P5
	1/16" Chisel, Extended Reach	1.60mm (0.063")	1121-0645-P5
	1/16" Bent Chisel, Long Reach	1.60mm (0.063")	1121-0646-P5
	Mini-Wave	3.30mm (0.13")	1121-0608-P5
	Single Sided Chisel	3.30mm (0.13")	1121-0647-P5
	Angled Mini Wave	2.40mm (0.09")	1121-0648-P5
	1/16" Chisel (MicroFine)	1.60mm (0.063")	1121-0649-P5
	3/16" Chisel	4.80mm (0.188")	1121-0650-P5
	1/32" Bent Chisel	0.80mm (0.031")	1121-0651-P5
	Flat Blade, 1/4"	6.60mm (0.25")	1121-0652-P1
	1/8" Chisel, Thermo-Drive	3.20mm (0.125")	1121-0653-P5
	1/32" Conical, Extended Reach	0.80mm (0.031")	1121-0654-P5
	1/64" Bent Conical	0.40mm (0.016")	1121-0655-P5
	Single-Sided Chisel, Fine Pitch	1.50mm (0.06")	1121-0656-P5
	Angled Mini Wave, Fine Pitch	1.80mm (0.07")	1121-0657-P5
Endura Desoldering Tips			
	Thermo-Drive	0.76mm (0.030") I.D. X 2.03mm (0.080") O.D.	1121-0625-P5
	Thermo-Drive	1.02mm (0.040") I.D. X 2.29mm (0.090") O.D.	1121-0624-P5
	Thermo-Drive	1.52mm (0.060") I.D. X 3.05mm (0.120") O.D.	1121-0626-P5
	Thermo-Drive	2.29mm (0.090") I.D. X 5.1mm (0.200") O.D.	1121-0627-P5
	Thermo-Drive, Flathead	(0.050") x (0.090") I.D. X (0.110") x (0.190") O.D.	1121-0821-P5
	Extended Reach Thermo-Drive	0.76mm (0.030") I.D. X 2.29mm (0.090") O.D.	1121-0628-P5
	Extended Reach Thermo-Drive	1.02mm (0.040") I.D. X 2.54mm (0.10") O.D.	1121-0629-P5
	Extended Reach Thermo-Drive	1.52mm (0.060") I.D. X 3.05mm (0.120") O.D.	1121-0630-P5
	Precision	0.50mm (0.020") I.D. X 1.79mm (0.070") O.D.	1121-0680-P5
	Precision	0.76mm (0.030") I.D. X 2.03mm (0.080") O.D.	1121-0678-P5
	Precision	1.02mm (0.040") I.D. X 2.29mm (0.090") O.D.	1121-0679-P5
	Precision	1.52mm (0.060") I.D. X 2.79mm (0.110") O.D.	1121-0690-P5
	Precision	2.29mm (0.090") I.D. X 3.55mm (0.140") O.D.	1121-0695-P5
	Flo-D-Sodr	1.52mm (0.060") I.D. X 4.78mm (0.188") O.D.	1121-0631-P5
	Flo-D-Sodr, Precision	0.50mm (0.020") I.D. X 1.78mm (0.070") O.D.	1121-0681-P5
	Flo-D-Sodr, Precision	0.76mm (0.030") I.D. X 2.03mm (0.080") O.D.	1121-0682-P5
	Flo-D-Sodr, Precision	1.02mm (0.040") I.D. X 2.29mm (0.090") O.D.	1121-0683-P5

The following is a representation of the most popular tips.

For a complete listing of all PACE tips call 1-888-535-PACE (7223)

or visit our website at www.paceworldwide.com

TIP	DESCRIPTION	SIZE	PART NUMBER
	SX Pik Tips		
	TQFP 28	8.2mm (0.322") Square	1121-0571-P1
	TQFP 32	8.7mm (0.344") Square	1121-0572-P1
	TQFP 52	12mm (0.472") Square	1121-0573-P1
	TQFP 40	12mm (0.472") Square	1121-0574-P1
	TQFP 80	13.2mm (0.520") Square	1121-0575-P1
	TQFP 80/100	15.3mm (0.604") Square	1121-0576-P1
	PQFP 80/100	16.8mm (0.660") x 22.9mm (0.900")	1121-0603-P1
	TSOP 28	8.1mm (0.320") x 12.7mm (0.500")	1121-0567-P1
	TSOP 32	8.1mm (0.320") x 19.3mm (0.760")	1121-0566-P1
	TSOP 56	14.2mm (0.560") x 19.3mm (0.760")	1121-0569-P1
	Tips for TT-65 ThermoTweez Handpiece		
	PLCC-20	6.86mm x 6.86mm (0.27" x 0.27")	1121-0316-P1
	PLCC-28	9.4mm x 9.4mm (0.37" x 0.37")	1121-0317-P1
	PLCC-32	12.2mm x 9.65mm (0.48" x 0.38")	1121-0352-P1
	PLCC-44, PQFP-84	14.5mm x 14.5mm (0.57" x 0.57")	1121-0318-P1
	PLCC-52, PQFP-100	17.0mm x 17.0mm (0.67" x 0.67")	1121-0319-P1
	PLCC-68, PQFP-132	21.9mm x 21.9mm (0.86" x 0.86")	1121-0320-P1
	PLCC-84, PQFP-160	26.9mm x 26.9mm (1.06" x 1.06")	1121-0321-P1
	Surface mount removal (SOIC/SOJ)	12.7mm (0.50")	1121-0473-P1
	Surface mount removal (SOIC/SOJ)	17.8mm (0.70")	1121-0416-P1
	Surface mount removal (SOIC/SOJ)	20.3mm (0.80")	1121-0497-P1
	Surface mount removal (SOIC/SOJ)	25.4mm (1.00")	1121-0448-P1
	Surface mount removal (narrow-body connectors/SOIC)	7.6mm (0.30")	1121-0512-P1
	Surface mount removal (narrow-body connectors/SOIC)	10.2mm (0.40")	1121-0514-P1
	Surface mount connectors removal	31.8mm (1.25")	1121-0495-P1
	Chip component (vertical)	0.76mm (0.03")	1121-0398-P1
	Chip component (vertical)	2.0mm (0.08")	1121-0313-P1
	Chip component (vertical)	4.1mm (0.16")	1121-0399-P1
	Chip component (vertical), small SOIC	6.4mm (0.25")	1121-0401-P1
	Thin-walled chip component (vertical)	0.76mm (0.03")	1121-0520-P1
Angled fine point conical	0.40mm (1/64")	1121-0517-P1	

TIP	DESCRIPTION	SIZE	PART NUMBER
	Tips for DTP-80 Dual ThermoPik Handpiece		
	PQFP-100	20.8mm x 20.8mm (0.82" x 0.82")	1121-0549-P1
	PQFP-132	25.9mm x 25.9mm (1.02" x 1.02")	1121-0551-P1
	PQFP-144	29.2mm x 29.2mm (1.15" x 1.15")	1121-0553-P1
	PQFP-208	30.0mm x 30.0mm (1.18" x 1.18")	1121-0557-P1
	PQFP-160/208	31.0mm x 31.0mm (1.22" x 1.22")	1121-0552-P1
	PQFP-240	33.8mm x 33.8mm (1.33" x 1.33")	1121-0558-P1
	PQFP-196	36.3mm x 36.3mm (1.43" x 1.43")	1121-0554-P1
	PQFP-304	42.4mm x 42.4mm (1.67" x 1.67")	1121-0593-P1
	BGA-169	22.4mm x 22.4mm (0.88" x 0.88")	1121-0594-P1
BGA-225	27.2mm x 27.2mm (1.07" x 1.07")	1121-0596-P1	
 	Tips for TP-65 ThermoPik Handpiece		
	FlatPack Tip	15.5mm x 21.6mm (0.61" x 0.85")	1121-0322-001-P1
	FlatPack Tip	16.8mm x 22.9mm (0.66" x 0.90")	1121-0322-002-P1
	PQFP 68 (bumper pack)	15.7mm x 15.7mm (0.62" x 0.62")	1121-0323-P1
	PQFP 64/80 (non-bumper pack)	15.7mm x 15.7mm (0.62" x 0.62")	1121-0484-P1
	PQFP 84	18.3mm x 18.3mm (0.72" x 0.72")	1121-0324-P1
	PQFP 100	20.8mm x 20.8mm (0.82" x 0.82")	1121-0325-P1
	PQFP 132	25.9mm x 25.9mm (1.02" x 1.02")	1121-0326-P1
	PQFP 144	29.2mm x 29.2mm (1.15" x 1.15")	1121-0456-P1
	PQFP 208	30.0mm x 30.0mm (1.18" x 1.18")	1121-0544-P1
PQFP 160/208	31.0mm x 31.0mm (1.22" x 1.22")	1121-0351-P1	
PQFP 196	36.3mm x 36.3mm (1.43" x 1.43")	1121-0483-P1	
	Tips for TJ-70 ThermoJet Handpiece		
	Small, Straight Single Jet Tip	.060 I.D.	1121-0366-P1
	Small, Curved Single Jet Tip	.060 I.D.	1121-0338-P1
	SOT/Chip Component Tip (dual jet)	A = 3.56mm (0.14")	1121-0329-P1
	SOIC Tip (dual jet)	A = 4.32mm (0.17")	1121-0330-P1
	SOICL Tip (dual jet)	A = 9.40mm (0.37")	1121-0331-P1
	Flat End Tip	A = 7.11mm (0.28") B = 1.88mm (0.074")	1121-0365-P1
Flat End Tip	A = 6.10mm (0.24") B = 1.88mm (0.074")	1121-0371-P1	

DESCRIPTION	CONTENTS	PART NUMBER
PRC 2000	PRC 2000/E Manual, 115V Detachable Power Cord or Export Version 230V Detachable	8007-0132
PRC 2000E	Power Cord, SX-80 Sodr-X-Tractor, PS-80 Soldering Iron, TJ-70 ThermoJet, TT-65 ThermoTweez, LF-15 LapFlo Pulse Heat Handpiece, TW-15 ResisTweez Pulse Heat Handpiece, MC-65 MicroChine, PV-65 Pik-Vac Vacuum Wand, SX-80 Tip & Tool Stand, TJ-70 Tip & Tool Stand, TP-65 Tip & Tool Stand, TT-65 Tip & Tool Stand, PS-80 Tip & Tool Stand, Paste Dispenser Cubby, Handpiece Cubby (for Pulse Heat Handpieces), Handpiece Redi-Rak (for Pulse Heat Handpieces), (2) Tip & Tool Stand Tip Redi-Raks, Tip Maintenance Station, Tip and Temperature Selection System (Charts w/holder), Accessory Kit for Paste Dispenser, Vacuum Cups for Pik-Vac Wand, Deluxe Tool Kit (for MicroChine Handpiece), Probe Brake Patch Cord, Universal Power Cord (for Pulse Heat Handpieces). One of each tip included: P/N 1121-0336 (PS-80), P/N 1121-0337 (PS-80), P/N 1121-0414 (PS-80), P/N 1121-0624 (SX-80), P/N 1121-0625 (SX-80), P/N 1121-0626 (SX-80), P/N 1121-0313 (TT-65), P/N 1121-0338 (TJ-70), P/N 1121-0371 (TJ-70)	8007-0133
PRC 2000-TH	PRC 2000/E Manual, 115V Detachable Power Cord or Export Version 230V Detachable	8007-0138
PRC 2000E-TH	Power Cord, SX-80 Sodr-X-Tractor, PS-80 Soldering Iron, LF-15 LapFlo Pulse Heat Handpiece, TW-15 ResisTweez Pulse Heat Handpiece, CT-15 ConducTweez Pulse Heat Handpiece, TS-15 StripTweez Pulse Heat Handpiece, MC-65 MicroChine, PV-65 Pik-Vac Vacuum Wand, SX-80 Tip & Tool Stand, PS-80 Tip & Tool Stand, Handpiece Cubby (for Pulse Heat Handpieces), Handpiece Redi-Rak (for Pulse Heat Handpieces), (2) Tip & Tool Stand Tip Redi-Raks, Tip Maintenance Station, Tip and Temperature Selection System (Charts w/holder), Vacuum Cups for Pik-Vac Wand, Deluxe Tool Kit (for MicroChine Handpiece), Probe Brake Patch Cord, Universal Power Cord (for Pulse Heat Handpieces), Foot Pedal.	8007-0139